



CERTIFICATE OF CONFORMITY

This is to certify that

ResCom Products



Product Description

Magnesium Oxide Board ResCom is a magnesium oxide cold ceramic sheeting. Available in the following dimensions:

- 4mm to 50mm thickness
- FRL Solutions Utilising: 5mm, 10mm, 12mm, 14mm, 15mm & 18mm (*3mm Furling Strips can be used for additional insulation per FIM-Edition 5-2015) BCA Volume One 2015 Part 2A can be applied in:
 - 1220mm x 2440mm
 - 1220mm x 2745mm
 - 1220mm x 3050mm

Brand name : ResCom

Product Purpose or Use

ResCom can be used as an interior and exterior wall sheathing, ceilings, fascia, eaves lining, flooring, decking, composite panel linings, fire protection panels and decorative panels.

Certificate Holder



ABN 47 151 952 742
3 Allen Street
Moffat Beach Qld 4551
Ph: 1300 721 279

W: www.mgoboard.com.au
E: admin@mgoboard.com.au

CodeMark™ Certification Body

CertMark International Pty Ltd

T/A CertMark Australia
ABN: 80 111 217 568

JAS-ANZ Accreditation No. Z4450210AK
PO Box 7144, Sippy Downs Qld 4556
www.CertMark.org

Complies with the Building Code of Australia:

1. BCA Volume One 2015: Section C Fire Resistance (inclusive of all parts C1.1 to C1.7), plus C1.10 including SA & NSW state variations. Refer to limitation d.
2. BCA Volume One 2015: Section C Part C3 Protection of Opening (inclusive of all parts C3.0 to C3.17). Including NSW state variations.
3. BCA Volume Two 2015: Part 3.5.3.3, Fibre Cement Planks and Weatherboard Cladding.
4. BCA Volume Two 2015: Part 3.5.3.4, Fibre Cements Sheet Wall Cladding.
5. BCA Volume Two 2015: Part 3.5.3.5, Eaves and Soffit Linings.
6. BCA Volume Two 2015: Part 3.7.1, Fire separation for FRL, including state SA variations. Refer to limitation f.
7. BCA Volume Two 2015: Part 3.7.4, Bushfire Zones BAL-40, including state QLD, TAS, NSW & SA variations.
8. BCA Volume Two 2015: Part 3.8.6, Sound Insulation, including NT state and territory variations. Refer to limitation g.

Subject to the following Conditions & Limitations:

- a. Must be installed in accordance with the approved MgO Corp Board General Installation Manual (GIM-Edition 3-2013) or MgO Corp Board Fire and Acoustic Walls, Ceilings and Floors Installation Manual (FIM-Edition 5-2015).
- b. Must be installed by a qualified and licensed tradesperson or builder.
- c. Must only be used in situations applicable for the products use as detailed in the relevant sections of the MgO Corp Board Installation Manual (GIM-Edition 3-2013) or the MgO Corp Board Fire and Acoustic Walls, Ceilings and Floors Installation Manual (FIM-Edition 5-2015).
- d. FRL's vary dependant on application of ResCom, consult MgO Corp Board Fire and Acoustic Walls, Ceilings and Floors Installation Manual (FIM-Edition 5-2015) for specific ratings.
- e. When used in fire separation wall must be installed in accordance with the MgO Corp Board Fire and Acoustic Walls, Ceilings and Floors Installation Manual (FIM-Edition 5-2015).
- f. Timber frame 60/60/60, metal frame 90/90/90, non-load bearing FRL - /120/120
- g. Specific sound resistance varies with board thickness, consult manufacturers specifications for applicable $R_w + C_{tr}$.
- h. Full technical information is available at www.mgoboard.com.au or upon request.
- i. This certification relates only the clauses of the BCA as contained herein. Consequently the following clauses are excluded from the certification: Volume One B-D-E-F-G-H-I-J Volume Two 2.1-2.2-2.3-2.4-2.5-2.6 these clauses are outside the scope of this Certificate. The need for compliance with the requirements of excluded clause in the use of the subject product are to be determined by the regulatory authority (building certifier or building surveyor).
- j. This certification relates only to the product that is described above, and has to be read, considered and used as a whole document — it may be considered misleading and will be incomplete to be selective.
- k. For further information contact the certificate holder.

John Thorpe
CertMark International Pty Ltd

Don Grehan
Unrestricted Building Certifier

13/08/2014

Date of Issue

13/08/2017

Date of Expiry

CMA-CM40009 (Rev5)

Certificate Number
Initially Issued 13/8/2011
Revised May 2015

- This Certificate of Conformity is issued by an accredited certification body under arrangement with JAS-ANZ. The ABCB does not in any way warrant, guarantee or represent that the Product the subject of this Certificate of Conformity conforms to the BCA, nor accepts any liability arising out of the use of the Product. The ABCB disclaims to the extent permitted by law, all liability (including negligence) for claims of losses, expenses, damages and costs arising as a result of the use of the product(s) referred to in this Certificate.
- It is advised to check that this Certificate of Conformity is currently valid and not withdrawn, suspended or superseded by a later issue by referring to the ABCB website, www.abcb.gov.au.

